

Notch signaling drives development of Barrett's metaplasia from Dclk1-positive epithelial tuft cells in the murine gastric mucosa

Bettina Kunze^{1, *}, Moritz Middelhoff^{1, *, #}, H. Carlo Maurer¹, Tatiana Agibalova¹, Akanksha Anand¹, Anne-Marie Bührer¹, Hsin-Yu Fang¹, Theresa Baumeister¹, Katja Steiger², Julia Strangmann¹, Roland M. Schmid¹, Timothy C. Wang³, Michael Quante^{1, 4,}
#

¹ Klinik und Poliklinik für Innere Medizin II, Technical University of Munich, Munich, Germany

² Institute of Pathology, Technical University of Munich, Munich, Germany

³ Department of Medicine, Columbia University Medical Center, New York, NY, USA

⁴ Klinik für Innere Medizin II, Gastrointestinale Onkologie, Universitätsklinikum Freiburg, Freiburg, Germany

* these authors contributed equally

Corresponding authors:


Moritz Middelhoff, MD

Mail: moritz.middelhoff@tum.de


Michael Quante, MD

Mail: michael.quante@uniklinik-freiburg.de


Supplemental Figure 1




Supplemental Figure 2



Supplemental Figure 3



Supplemental Figure 4



Supplemental Figure 5

