

GSDIa subject	Age (years)	Gender	Genotype (G6PC variants)	Dietary regimen	Carbohydrate intake (g/kg/day)	UCCS/Glycosade intake (g/kg/day)	Energy intake (Kcal/kg/day)
			<i>Protein change</i>				
001	5.2	M	p.Arg83Cys p.Arg83Cys	Frequent feedings UCCS CNGDF	N.A.	N.A.	N.A.
002	10.0	M	p.Arg83Cys p.Arg83Cys	Frequent feedings CNGDF	N.A.	N.A.	N.A.
003	17.1	M	p.Trp63Arg p.Arg83Cys	Frequent feedings UCCS	10.5	5.6	46.1
004	25.8	F	p.Trp63Arg p.Arg83Cys	Frequent feedings Glycosade	7.1	4.4	31.0
005	24.0	F	p.Arg83Cys p.Arg83Cys	Frequent feedings UCCS	6.1	4.0	26.4
006	34.9	M	p.Arg83Cys p.Arg83Cys	Frequent feedings Glycosade	6.0	4.6	26.6
007	11.2	F	p.Arg83Cys p.Arg83Cys	Frequent feedings UCCS	10.0	4.9	45.1
008	28.1	M	p.Arg83Cys p.Arg83Cys	Frequent feedings UCCS CNGDF	4.8	1.4	24.3
009	24.1	F	p.Arg83Cys p.Arg83Cys	Frequent feedings UCCS	5.7	4.4	24.5
010	11.1	M	p.Arg83Cys p.Arg83Cys	Frequent feedings UCCS	8.3	5.4	34.9

Supplemental table 1. Clinical information of GSDIa patients.

CNGDF: continuous nocturnal gastric drip feeding

N.A.: not available

UCCS: uncooked corn starch